



AVILED/CCT/GR

Vision 3 LED - 17W Cool White/Warm White - Graphite



Features

IP65 CCT polycarbonate 3-In-1 LED luminaire for external applications

Each fitting supplied with plain, louvred eyelid and plain eyelid covers

CCT selectable between 3000K and 4000K

Exceeds performance of 38W TC-DD

LED lifespan L70 56,000 hours

General Information

Lamp Type	LED
Colour / Finish	Graphite
IP Rating	IP65
IK Rating	IK09
Class Protection	1
Bathroom Zone	2
Internal / External	Internal/External
Surface / Recessed / Suspended	Surface
LED Life	L70 56,000hrs
Warranty (Years)	5
CE Mark	Yes
Diameter (mm)	350
Depth (mm)	125

Technical Information

Wattage	17W
Lumens Delivered	1420lm (Cool White),1324lm (Warm White)
Lm/W	84lm (Cool White), 83lm (Warm White)
CRI	Ra 80
CCT	3000/4000K
Input	230V
Hertz	50/60Hz
Operating Temp	-10 to 40°C

Technical Data - ETIM - Ceiling-/wall luminaire (EC002892)

Suitable for wall mounting	Yes
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for built-in mounting	No
Suitable for surface mounting	Yes
With light source	Yes
Suitable for number of lamps	1
Material housing	Plastic
Colour housing	Other
Nominal voltage	230-230 V
Control gear included	Yes
Degree of protection (IP)	IP65
Impact strength	IK09
Protection class	I
Suitable for emergency lighting	No
With movement sensor	No
With light sensor	No
Max. system power	17 W
Colour of light	White
Colour temperature	3000-4000 K
Colour rendering index CRI	80-89
Height/depth	125 mm
Outer diameter	350 mm

Datasheet generated from <https://onetimepim.com> last updated Thursday, August 6, 2020 9:19:23 AM

