



### Description:

- 5-100% Dimming range
- Up to 81lm/W
- 300° beam angle
- Tuneable white colour temperature between 2200-5000K
- Ability to be controlled individually or within a space
- Can be used in lighting scenes and within lighting schedules

### Technical Specification:

<b>Model:</b>	AU-A1CE14ZCX6
<b>Input Voltage:</b>	220~240V AC
<b>Power Factor:</b>	0.7
<b>Number of LEDs:</b>	12
<b>Technology:</b>	LED
<b>Operating Temp:</b>	-20°C to +25°C
<b>Overall Diameter (mm):</b>	38
<b>Height (mm):</b>	110
<b>SDCM:</b>	6

<b>Input Frequency:</b>	50/60HZ
<b>Dimmable:</b>	Yes
<b>IP Rating:</b>	IP20
<b>Lifetime L70 (hrs):</b>	25000
<b>Optical Material:</b>	PC
<b>LED Chip:</b>	2835
<b>Lamp Base:</b>	E14

### SKU Table and Ordering:

SKU Code:	Lamp Base:	Colour:	Lumens Range:	Lumens/Watt:	Wattage:	Beam Angle:
<b>AU-A1CE14ZCX6</b>	E14	2700-5000K	400 to 470lm	69 to 81lm/W	5.8W	300°

### Warranty:

This product has a warranty period of 2 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserves the right to alter specifications without prior notice.

### Certifications:

- Conforming to CE, RoHS and REACH directives