

PRODUCT-DETAILS

S2C-H6R

S2C-H6R Auxiliary Contact



General Information

Extended Product Type	S2C-H6R
Product ID	2CDS200912R0001
EAN	4016779563826
Catalog Description	S2C-H6R Auxiliary Contact
Long Description	Indication of the position of the device's contacts. Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. To be mounted on the right side of the MCBs.

Technical

Standards	CSA Class 3215-30 CSA Class 3215-90 GB/T 14048.5 IEC/EN 60947-5-1 UL 1077
Function	Auxiliary Contact
Suitable For	S200 S200M S200P S200S S300P SN201L+SN201-IH SN201+SN201-IH SN201M+SN201-IH F200 DS201 DS202C

DS200
S-ARC1
DS-ARC1

Suitable for Product Class

Miniature Circuit Breaker
Residual Current Device

Power Loss	0.5 W Maximum 0.5 W
Number of Auxiliary Contacts NC	0
Number of Auxiliary Contacts NO	0
Number of Auxiliary Contacts CO (SPDT)	1
Accessory Type	Auxiliary Contact
Mounting Position	right
Technical Information	AUXILIARYCONTACT

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK108468A4564
REACH Declaration	9AKK107492A1906
Environmental Information	2CDK400571D0201
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	8.8 mm
Product Net Height	85 mm
Product Net Depth / Length	69 mm
Product Net Weight	0.043 kg

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	blister 1 piece
Package Level 1 Gross Weight	0.045 kg
E-Number (Finland)	3210836
E-Number (Sweden)	2102500

Certificates and Declarations

Declaration of Conformity - CE	9AKK108468A4564
-----------------------------------	-----------------

Installation

Instructions and Manuals	GHS2007061P0018
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical
Information

9AKK106930A8017

Classifications

ETIM 8	EC001286 - Auxiliary device for distribution board devices
ETIM 9	EC001286 - Auxiliary device for distribution board devices
EPLAN Function Definition	Change-over contact / Change-over contact, 3 connection points / Change-over auxiliary contact 4_1_2
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 50 80
UNSPSC	39121522
eClass	V11.0 : 27143502
IDEA Granular Category Code (IGCC)	4743 >> Auxiliary contact block
Object Classification Code	Q

Where Used (as a spare part for "Products")

Identifier	Description	Quantity	Unit Of Measure
9AAC30403877	No Description Available	1	piece
9AAC30404896	No Description Available	1	piece
9AAF626992	No Description Available	1	piece

Product specific part data

Product	Category	Switchgear Part Category
9AAC30403877	SafeRing 36-40,5kV	Auxiliary Contacts
9AAC30404896	SafePlus 36-40,5kV	Auxiliary Contacts
9AAF626992	All Spare Parts (Relays-SWG-CB)	Auxiliary Contacts

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → ABB VY → Busbars and Accessories ABB VY → Accessories ABB VY

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs Accessories

Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)

Medium Voltage Products and Systems → Switchgear and Motor Control → Gas Insulated Secondary Switchgear (SF6) → SafePlus → SafePlus 36-40,5kV

Medium Voltage Products and Systems → Switchgear and Motor Control → Gas Insulated Secondary Switchgear (SF6) → SafeRing → SafeRing 36-40,5kV

