



Color: ■ white

| Technical data              |                                                                                                                 |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------|
| Suitable                    | for WAGO Rail-Mount Terminal Blocks TOPJOB® S, X-COM®S-SYSTEM, X-COM®S-SYS-TEM-MINI and 285/788/857/2857 Series |
| Marking method              | Thermal transfer                                                                                                |
| Marking                     | plain                                                                                                           |
| Delivery form               | Strip                                                                                                           |
| Delivery form configuration | 50 m; 1 line                                                                                                    |
| Printing device             | Smart Printer (thermal transfer printer)                                                                        |

| Physical data |       |
|---------------|-------|
| Width         | 11 mm |
| Strip width   | 11 mm |

| Mechanical data  |                 |
|------------------|-----------------|
| Mounting type    | Snapping on     |
| Smear resistance | EN 60998-1:2004 |

| Material data        |                               |
|----------------------|-------------------------------|
| Color                | white                         |
| UV resistance        | EN 60068-2-5:2010 Procedure B |
| Adhesive information | without adhesive              |
| Halogen-free         | Yes                           |
| Weight               | 260 g                         |
| Fire load            | 7.8 MJ                        |



| Environmental requirements      |                 |
|---------------------------------|-----------------|
| Ambient temperature (storage)   | +10 ... +21 °C  |
| Ambient temperature (operation) | -40 ... +150 °C |
| Relative humidity               | 40 ... 50 %     |

| Commercial data       |                                |
|-----------------------|--------------------------------|
| Product Group         | 2 (Terminal Block Accessories) |
| eCl@ss 10.0           | 27-14-11-37                    |
| eCl@ss 9.0            | 27-14-11-37                    |
| ETIM 8.0              | EC000761                       |
| ETIM 7.0              | EC000761                       |
| PU (SPU)              | 1 pcs                          |
| Packaging type        | Bag                            |
| Country of origin     | LU                             |
| GTIN                  | 4044918102483                  |
| Customs tariff number | 39206219888                    |

| Environmental Product Compliance |                         |
|----------------------------------|-------------------------|
| RoHS Compliance Status           | Compliant, No Exemption |

Approvals / Certificates

Declarations of conformity and manufacturer's declarations



| Approval                      | Standard | Certificate Name |
|-------------------------------|----------|------------------|
| Railway<br>WAGO GmbH & Co. KG | -        | Railway Ready    |

Downloads

Environmental Product Compliance

| Compliance Search                            |                   |
|----------------------------------------------|-------------------|
| Environmental Product<br>Compliance 2009-110 | <a href="#">↓</a> |

Documentation

| Additional Information                 |             |                  |                   | Bid Text |            |                 |                   |
|----------------------------------------|-------------|------------------|-------------------|----------|------------|-----------------|-------------------|
| Allocation roller printing<br>material | 001.12.2016 | pdf<br>139.96 KB | <a href="#">↓</a> | 2009-110 | 19.02.2019 | xml<br>2.57 KB  | <a href="#">↓</a> |
|                                        | 10.09.2020  |                  |                   | 2009-110 | 04.01.2018 | doc<br>23.00 KB | <a href="#">↓</a> |



| Operating Instructions                    |                 |                   |  |
|-------------------------------------------|-----------------|-------------------|--|
| 2009-110 Information on printing material | 1<br>28.08.2020 | pdf<br>1190.09 KB |  |

| CAD/CAE-Data                                                                  |                                                                                    |
|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| <div><div>CAD data</div><div>2D/3D Models<br/>2009-110</div><div></div></div> | <div><div>CAE data</div><div>EPLAN Data Portal<br/>2009-110</div><div></div></div> |

| 1 Compatible Products    |
|--------------------------|
| 1.1 Optional Accessories |
| 1.1.1 Marking            |
| 1.1.1.1 Marking device   |



Item No.: 258-5000  
Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material