

# NTT03

## 24 Hour/7 Day Compact Electronic Immersion Heater Timeswitch

### Features & Benefits

- 4 ON/4 OFF Programme Periods Per Day, Up To 28 ON/28 OFF Programmes Per Week
- Shortest Switching Time 1 Min
- Extra Large 'Easy View' Screen with Blue LED Backlighting
- Red LED 'Mains ON' and Green LED 'Output'
- Large Programme Buttons
- Self-Cancelling Override Button to Next Programme Change
- Optional 1 and 2 Hour Boost Button
- Automatic Summer/Winter Time Change
- Rechargeable Memory Back-Up
- Fits a Standard Flush or Surface Mount Box Min 32mm



### Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Surface Mount
Earth Class Rating	Class II
Operating Temperature	0°C to 40°C
Ingress Protection Rating	IP20
Setting Type	Digital
Battery Type	NiMH 1.2V 80mAh Rechargeable Battery

# Data sheet

## NTT03

### Time / Immersion & General Purpose Timeswitches

Power Reserve	672 Hours (28 Days)
Back Box Minimum Depth (mm)	32
Program Modes	24 Hour/7 Day, 1 Hour/2Hour Boost
Mounting Hole Centres (mm)	60
Standby Consumption	<0.96W
Number Of Channels	1
Switch Rating	16A Resistive , 2400W Halogen, 750W Fluorescent, 100W CFL, 100W LED
Shortest Switching Time	1 Minute
Programmable Slots	4 ON 4 OFF
Permanent ON Facility	Yes (Override ON)
Cable Capacity (mm2)	1.5 - 2.5mm <sup>2</sup> Flexible Cable
Cable Entry(s)	Back Entry

## General

Weight (g)	172
Height (mm)	92
Width (mm)	92
Depth (mm)	59
Body Construction	Polycarbonate
Product Colour	White
Accessories (Included)	Fittings (Rawl Plugs, Screws)
EAN Number	5012483012314
Guarantee Period	3 Years
Trade Tariff Commodity Code	9032890090

# Data sheet

## NTT03

Time / Immersion & General Purpose Timeswitches

### Line Diagrams

